BAUMCUT 26.4 PAPER CUTTER






Baumcut 26.4 Paper Cutter -

an investment in quality, precision & performance

The Baumcut 26.4 programmable cutter is efficient, compact, and easy to operate, with minimal maintenance. This heavy-duty, fully hydraulic cutter features easy pushbutton programming and stores up to 99 programs with 6464 cut steps.

The Baumcut 26.4 offers high-productivity precision cutting with maximum safety in mind. Infrared safety beams, two-hand timed cut release and covered rear table help ensure operator safety. Noise levels are kept to a minimum since the motor runs only during cutting operations.

Programming is automatic. Simply cut the first ream manually, and the cuts are stored as a program. A large central LCD display indicates data in the selected language. Knife changes are easy, with a front adjustment. Built-in table light and optical cutting line indicator yields more precise cutting.




Baumcut 26.4 Features

- Push-button programming stores up to 99 programs, 6464 cut steps
- Large, central LC display indicates data in the selected language
- Optical cutting line indicator & table light for precision cutting
- Automatic programming first manual cuts stored as a program
- Repeat function cut sizes can be repeated as needed
- Low noise levels motor runs only during cutting operations
- Manual backgauge positioning with electronic handwheel
- Hydraulic knife drive and clamping
- Overload protection for main motor and backgauge drive
- Motor-powered backgauge drive
- Easy knife change with front adjustment tools included
- Hydraulic clamp pressure is adjustable for a variety of materials
- Non-corrosive closed table surface
- Machine self-diagnosis with error indication

BAUM 1660 Campbell Road, Sidney, Ohio, USA 45365




BAUM - WE ARE THE FUTURE!



Infrared Safety Light Beams

The Infrared Safety Light Beams are **standard** equipment on the Baumcut 26.4 paper cutter. (This feature is optional on other manufacturer's cutters in this class.) This system exceeds current mandatory safety requirements.



Spring-loaded Backgauge Fingers

Every backgauge finger is spring-loaded to prevent the bottom sheet from sliding underneath.



Rear Safety Cover

The see-through rear safety cover prevents reaching into the cutting area from behind while providing a clear view of the backgauge. It also keeps the cutter table free of debris.





BAUM P.O Box 728, 1660 Campbell Road, Sidney, Ohio, USA 45365

BAUM – WE ARE THE FUTURE!



Two-Hand Cut Button

Standard equipment includes the two-hand cut button safety control. Provides additional security for the operator. Other cutter manufacturers offer this feature as an option.

Clamp Foot Pedal Safety Cover

Protects against inadvertent lowering of the clamp. *No one likes pinched fingers*.



Safety Features

- Infrared safety beams are standard
- Two-hand, timed cut release with non-repeat device
- · Rear table fully covered
- Permanent check of knife position
- Machine self-diagnosis with error indication
- Cover over foot pedal



Safety False Clamp Plate


During installation and removal the operator's hands are not under the knife. Simply press the detent locations with a common screwdriver to release the detent.



Baumcut 26.4 Paper Cutter -

Exclusive Easy Knife Leveling


Easily accessible eccentric adjustment from the front of the cutter provides knife leveling with **no screws to adjust**.





Knife Change & Clamp Pressure Adjustment

Easy knife change and clamp pressure adjustments are made from the front of the cutter.



Safety Knife Removal & Installation

An added edge shield connects the knife removal tools and provides **safe and easy** knife removal and installation.

SAFETY RELIABILITY ACCURACY

BAUM 1660 Campbell Road, Sidney, Ohio, USA 45365



Baumcut 26.4 Microprocessor Control provides many features for your demanding applications:

- 99 programs fro storing separate jobs
- 6464 total cut step memory
- Automatic and manual cutting modes
- 999 maximum cut steps per program
- Records total number of lifetime cuts
- Records total number of knife changes
- Adjustable clamping time for extra air escape
- Adjustable knife resting time
- Block programming
- Jogging mark notation in cutting programs
- LCD readout display
- Membrane touch panel keypad
- Can enter and divide fractions into decimals
- Push-out programming steps





BAUM 1660 Campbell Road, Sidney, Ohio, USA 45365

Phone: 1 / 937 / 492-1281 or 1 / 800 / 543-6107 Fax: 1 / 937 / 492-7280 email: baum@baumfolder.com Internet address: http://www.baumfolder.com



EASY KNIFE CHANGE

FULL SAFETY FEATURES

FULLY HYDRAULIC

PUSH-BUTTON PROGRAMMING

> HIGH-PRECISION CUTTING




BAUM - WE ARE THE FUTURE!

BAUM 1660 Campbell Road, Sidney, Ohio, USA 45365

Baumcut 26.4 Specifications

Cutting width 26-3/8" [67 Cutting height 4" [10 Length behind knife 26-3/8" [67 Table length front of knife 26-3/8" [67 Table height 35-1/2" [90 Knife speed 20 cuts/ Knife thickness 3/8" [9.7r Knife ground-off maximum 7/8" [22r Minimum cut with false clamp plate 2" [5 Minimum cut without false clamp plate 19/32" [1.5 Clamp pressure [min] 440 pounds force [300c Clamp pressure [max] 3300 pounds force [330cc Backgauge speed 0 - 7 cm Net weight 1400 # [63cc Cut steps 6 Programs 208-230V/1ph/6cc Electrics 208-230V/3ph/6cc	ccm] ccm] ccm] cm] cm] cm] cm] cm] cm] c
Specifications subject to change without notice.	

Baumcut 26.4 Floor Plan: Standard Accessories:



- [2] Knives in safety container
- Knife-change tool kit [1]
- [10] Cutting sticks
- [1] False Clamp Plate
- [1] Jogging Block

email: baum@baumfolder.com

